*		,	ICO6 Rec'd PCT/PTO 12 JAN 20			
∴FORM PTO-	1390 U.S. DEPARTMENT OF CO	DMMERCE PATENT AND TRADEMARK	ATTORNEY'S DOCKET NO. PHD 99,060			
TRANSMI	TRANSMITTAL LETTER TO THE UNITED STATES DESIGNED/ELECTED OFFICE U.S. Application No. JI known, see 37 CER 1.5) (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371					
INTERNATIO	DNAL APPLICATION NO. 4607	INTERNATIONAL FILING DATE MAY 17, 2000	PRIORITY DATE CLAIMED MAY 18, 1999			
TITLE OF IN						
APPLICANT FALKO BUS	(S) FOR DO/EO/US SSE, MICHAEL OVERDICK, WALT	ER RUTTEN, MARTIN JOHN POWELL				
Applicant(s)) herewith submit to the United S	tates Designated/Elected Office (DO/EO/US) the	following items and other information:			
1. [X] 1	This is a FIRST submission of iter	ns concerning a filing under 35 U.S.C. 371.				
2. L.L. 1	This is a SECOND or SUBSEQUE	NT submission of items concerning a filing unde	r 35 U.S.C. 371.			
	Control of the state of the sta					
4.[]	A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.					
	A copy of the International Application as filed (35 U.S.C. 371 (c)(2)) a. [X] is transmitted herewith (required only if not transmitted by the International Bureau). b. [] has been transmitted by the International Bureau. c. [] is not required, as the application was filed in the United States Receiving Office (RO/US).					
6. []	. [] A translation of the International Application into English (35 U.S.C. 371(c)(2))					
	Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) a. [] are transmitted herewith (required only if not transmitted by the International Bureau). b. [] have been transmitted by the International Bureau. c. [] have not been made; however, the time limit for making such amendments has NOT expired. d. [] have not been made and will not be made.					
8. []	8. [] A translation of the amendment to the claims under PCT Article 19 (35 U.S.C. 371 (c)(3)).					
9. [X]	An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).					
10.[]	[] A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).					
Items 11. to	16. below concern document(s)	or information included:				
11. [X]						
12. [X]	and the second s					
	A FIRST preliminary amendment. A SECOND OR SUBSEQUENT pr					
14. []	A substitute specification.					
15. [X]	A change of power of attorney ar	d/or address letter.				
16. [X]	Other items or information:					
	3 Sheets of Drawings					

CERTIFICATE OF MAILING
[X] Express Mail Mailing Label No. EL297132373US

X Authorthization Pursuant to 37 CFR § 1.136(a)(3) and to Charge Deposit Account

Date of Deposit January 12, 2001

I hereby certify that this paper and fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner for Patents, Washington, D.C. 20231.

> Natale a. Manzo Typed Name

Latale a Brugo

(197	74365F	1.5) INTERNATION PCT/EP00/046	IAL APPLICATION NO. 07	ATTORNEY'S DOCKET PHD 99,060	NUMBER	
17 [] The following fe	ees are submitted:			CALCULATIONS (PTO	USE ONLY)	
-	(37 C.F.R. 1.492(A)(1)-(5	5)):				
Search Rep	ort has been prepared b	y the EPO or JPO	\$940.00			
(37 C.F.R. 1.	al preliminary-examinatio .482)		\$720.00			
No internati (37 C.F.R. 1 (37 C.F.R. 1	ional preliminary examin .482) but international so .445(a)(2)	ation fee paid to USPTC earch fee paid to USPTC	\$760.00			
Neither inte 1.482) nor in paid to USP	rnational preliminary ex nternational search fee (
Internationa (37 C.F.R. 1 Article 33(2	al preliminary examinations of the second section (1.482) and all claims satistically (1.482).	on fee paid to USPTO sfied provisions of PCT	\$ 96.00			
	ENTER APPROPRIATE I	BASIC FEE AMOUNT =		\$940.00		
Surcharge of \$130.00 f from the earliest claim	for furnishing the oath o led priority date (37 C.F.I	r declaration later than [R. 1.492(e)).	[] 20 [] 30 months	\$		
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE			
Total Claims	9 - 20 =		X \$ 18.00	s		
Independent claims	1 - 3 =		X \$ 80.00	s		
MULTIPLE DEPENDER applicable)			+ \$270.00	\$		
	TOTAL OF A	BOVE CALCULATIONS	-	\$940.00		
Reductions by 1/2 for must also be filed (No	filing by small entity, if a te 37 C.F.R. 1.9, 1.27, 1.2		III Entity Statement	s		
		SUE	BTOTAL =	\$940.00		
	0.00 for furnishing the E est claimed priority date		than []20 []30 +	\$		
		TOTAL NATIO	NAL FEE =	\$940.00		
Fee for recording the accompanied by an a	enclosed assignment (3 ppropriate cover sheet (3	7 C.F.R. 1.21(h)). The as 37 C.F.R. 3.28,3.31). \$40	ssignment must be .00 per property +	\$40.00		
		TOTAL FEES E		\$980.00		
				Amount to be refunded	s	
				charged	\$940.00	
a. [] A check in	the amount \$	to cover the abo	ve fees is enclosed.			
b, TX1 Please charge my Deposit Account No.14-1270 in the amount of \$980.00 to cover the above fees.						
D. [X] Flease Cité	A duplicate copy of this sheet is enclosed. c. [X] The Commissioner is hereby authorized to charge any additional fee, with the exception of the Base Issue Fee, which may be required, or credit any overpayment to Deposit Account No. 14-1270. A duplicate copy of this eagest is enclosed.					
A duplicate	nssioner is hereby author or credit any overpaymen	It to Deposit Account in				
c. [X] The Commrequired, o		37 C.F.R. 1.494 or 1.495	5 has not been met, a soft	A A		
c. [X] The Commrequired, o	propriate time limit under estore the application to	37 C.F.R. 1.494 or 1.495	5 has not been met, a port	A A		
A duplicate c. [X] The Commrequired, o NOTE: Where an app filed and granted to re SEND ALL CORRESP Corporate Patent Cou Philips Electronics No. \$50 White Plains Roa.	propriate time limit under estore the application to PONDENCE TO: Unsel orth America Corporatio	r 37 C.F.R. 1.494 or 1.499 pending status.		tion to restly 437 C.F.R. 1		
c. [X] The Comm required, o NOTE: Where an app filed and granted to re SEND ALL CORRESP Corporate Patent Cou- Philips Electronics No.	ropriate time limit under estore the application to PONDENCE TO: unsel orth America Corporatio d	r 37 C.F.R. 1.494 or 1.499 pending status.	5 has not been met, a port	tion to designs 437 C.F.R. 1		

09/743656

500 Rec'd PCT/PTO 1 2 JAN 2001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Atty. Docket

FALKO BUSSE ET AL.

PHD 99,060

Serial No.

Group Art Unit

Filed: CONCURRENTLY

Examiner:

Title: SENSOR MATRIX

Commissioner for Patents Washington, D.C. 20231

PRELIMINARY AMENDMENT

Sir:

Prior to calculation of the filing fee and examination, please amend the above-identified application as follows:

IN THE CLAIMS

Please amend the claims as follows:

Claim 4, line 1, delete "or 3"

Claim 5, line 1, delete "or 4"

Claim 6, line 1, change "one of the Claims 3 to 5" to --Claim 3--.

Claim 7, line 1, change "one of the Claims 3 to 5" to --Claim 3--.

Claim 8, line 1, change "one of the Claims 3 to 5" to --Claim 3--.

Claim 6, line 1, change "one of the Claims 1 to 5" to -Claim 1--.

REMARKS

 $\label{eq:theorem} \mbox{The claims have been amended to delete multiple} \\ \mbox{dependencies.}$

The within amendment is limited to the equivalent of cancellation of claims, and pursuant to MPEP §506, should be entered prior to calculation of the fee.

Respectfully submitted,

Michael E. Marion, Reg. 32,266
Attorney

(914) 333-9641 January 8, 2001 3/PRTS

09 / 743656 500 Rec'd PCT/PTO 1 2 JAN 2001

25.02.2000

Sensor matrix.

The invention relates to an arrangement which includes light-sensitive or X-ray-sensitive sensors which are arranged in a matrix of rows and columns and generate charges in dependence on the amount of incident radiation, each sensor including a respective photosensor element with an intrinsic storage capacitance or a storage capacitor connected parallel to the terminals thereof, as well as with a respective transistor, for each row of sensors there being provided at least one switching line via which the transistors can be activated so that the charges of the relevant activated sensors S can be read out simultaneously via read-out lines 8. The invention also relates to a method for operating the arrangement.

An arrangement of the kind set forth is known from EP 0 440 282 A2. Only small X-ray doses are incident on the sensors, notably in the case of X-ray applications. Consequently, the electrical charge generated in the photosensor elements in dependence on the incident radiation is also very small. The small amounts of charge often give rise to problems, because a large amount of noise is superposed on the signal read out. In order to mitigate this problem, the single sensor of the arrangement disclosed in EP 0 440 282 A2 has an as large as possible sensitive surface area in order to enhance the radiation sensitivity. In order to realize such large surfaces areas, each read-out line of the matrix is provided with only one amplifier which serves to amplify the signals read out from all sensors of this column.

It is an object of the invention to provide an improved arrangement of the kind set forth and to propose a method for operating said arrangement. More specifically, depending on the mode of operation of the arrangement, the switching noise caused by the reading out of the sensors should be reduced and/or a higher image repeat rate, more stable operating conditions of the photosensor element, also in the case of large signals, as well as an increased dynamic range of the photosensor element should be possible.

The described object is achieved on the basis of the idea to provide a further transistor which can be driven independently of the first transistor and co-operates with an additional capacitor in each sensor.

5

20

2.5

30

5

10

More specifically, the object is achieved in an arrangement of the kind set forth in that each sensor includes a further transistor which is connected directly to the photosensor element and can be activated via at least one control line, that the two transistors of each sensor are connected in series, and that an electrode of a further capacitor is connected to the junction of the two transistors.

Both transistors of the sensor in a preferred embodiment of the invention are constructed as field effect transistors whose conductive channels are connected in series. Different modes of operation of the arrangement can be realized in dependence on the driving of the gate terminal of the field effect transistor connected to the photosensor element via the control line (control field effect transistor). The individual modes of operation follow from the method for operating the arrangements according to the invention as disclosed in the Claims 6 to 8.

The gate terminal of the field effect transistor (switching field effect transistor) which is connected in series with the control field effect transistor is connected in known manner to the switching line which is activated so as to read out the sensor.

In conformity with the known switching lines, for each row of sensors there may be provided at least one control line for controlling the further transistors, notably the control field effect transistors. However, it is alternatively possible to provide only one control line for driving all further transistors of the entire matrix.

For an effective reduction of the switching noise of the switching field effect transistor, in an embodiment of the invention the further capacitor is selected to be smaller than the intrinsic capacitance and/or the storage capacitor connected parallel to the photosensor element.

The constituent elements of each sensor can be arranged adjacently and/or one above the other on a thin-film substrate. The additional control field effect transistor may consist of amorphous silicon or polycrystalline silicon.

When the arrangement according to the invention operates in conformity with the characteristics of Claim 6, a continuous charge transfer to the further capacitor is achieved. When the voltage across the photosensor element is kept constant, the further capacitor is discharged instead of the storage capacitor when radiation is incident on the photosensor element. The term "charge pump" will be used hereinafter for this mode of operation of the control field effect transistor. Consequently, the further capacitor is charged again during the reading out via the read-out line. When the further capacitor is smaller than

30

5

10

the storage capacitor, the switching noise which is proportional to the magnitude of the capacitor read out is reduced.

Because the voltage across the photosensor element is kept constant, the operation of the photosensor element is stable even in the case of large signals, because it continuously operates at the same working point. Moreover, a larger dynamic range of the sensor is obtained when the maximum voltage swing across the further capacitor is suitably chosen.

Controlled charge transfer between the storage capacitor and the further capacitor can be achieved by operation of the arrangement according to the invention in conformity with the characteristics of Claim 7. In such a mode of operation the charge is read out from the further capacitor while the radiation incident on the photosensor already produces new charges in the storage capacitor. To this end, the control field effect transistor temporarily operates as a charge pump.

The further capacitor, being smaller than the storage capacitor, exerts a reducing effect on the switching noise of the switching field effect transistor also in the case of controlled charge transfer. Because of the temporal overlap of the charge integration across the storage capacitor and the reading out of the further capacitor, this mode of operation allows for image repeat rates which are higher than can be achieved in arrangements known thus far.

In a mode of operation of the arrangement according to the invention in conformity with the characteristics of Claim 8, the storage capacitor is effectively enlarged by the further capacitor. The presence of a given bias voltage across the photosensor element, notably a photodiode, increases the dynamic range thereof.

An embodiment of the invention will be described in detail hereinafter with reference to Fig. 1 which shows a part of a sensor matrix.

Fig. 1 shows merely a part of an arrangement according to the invention with only one radiation-sensitive sensor S. All sensors of this embodiment are provided with n-channel field effect transistors. Evidently, field effect transistors having a different construction can also be used in the context of the invention.

A matrix consists in known manner of a multitude of, for example 2000 x 2000 sensors S which are arranged in rows and columns. The respective first sensors S of a row of the matrix together form the first column whereas the respective second sensors of each row together constitute the second column, etc.

30

10

Each sensor S includes a photosensor element. When suitable semiconductors are used, the photosensor element itself may already be sensitive to X-rays. However, it may also be a light-sensitive photodiode 1 which receives light whenever X-rays are incident on a scintillator layer arranged thereabove. In the absence of a scintillator layer the arrangement is also suitable for the direct detection of light. Parallel to the terminals of the photodiode 1 there is connected a storage capacitor 2. The anode of the photodiode 1 and an electrode of the storage capacitor 2 are connected to a common electrode 9 which biases it with a negative DC voltage. The cathode of the photodiode 1 and the other electrode of the storage capacitor 2 are connected to a source terminal of a control field effect transistor 5. The drain terminal of the control field effect transistor 5 in its turn is connected to a source terminal of a switching field effect transistor 3.

When radiation is incident on the photodiode 1, charge carrier pairs (charges) are generated in the photodiode 1, with the result that the charged storage capacitor is partly discharged. The discharge is dependent on the number of photons incident on the photodiode 1. Each sensor can be individually read out by compensating the respective charge deficiency via the conductive channels of the field effect transistors 3, 5. To this end, a control line 6 and a switching line 7 are provided for each row of the sensor matrix. The switching line 7 is connected to the gate terminals of the switching field effect transistors 3 and the control line is connected to the gate terminals of the control field effect transistors 5 of the sensors S.

The switching and control lines 6, 7 thus activate the field effect transistors 3, 5 of the associated row of the matrix. They are driven, for example by means of a driver circuit which is known per se and not shown in the Figure, said driver circuit applying different analog control voltages to the lines 6, 7. The driver circuit serves to activate the rows of the sensor matrix successively in order to read out the charges stored in the sensors S.

A read-out line 8 is provided in known manner for each column of the matrix. All read-out lines 8 are connected to the drain terminals of the switching field effect transistors 3 of the sensors of the relevant column. An amplifier 11 is regularly associated with each read-out line 8, said amplifier integrating the charges row-wise flowing in the individual sensors S. The amplifiers 11 are preceded by an analog multiplexer (not shown) whose inputs are connected to the outputs of the amplifiers. The analog multiplexer converts the charges, arriving simultaneously and in parallel from each time one row of the matrix, into a serial signal which is presented on a serial output of the analog multiplexer so as to be processed further.

30

10

An electrode of a further capacitor 4 is connected to the drain terminal of the control field effect transistor 5 and the source terminal of the switching field effect transistor 3, respectively, the other electrode 4a of said further capacitor also being connected to the general electrode 9 or a general electrode which is independent therefrom. In the context of the invention it is possible to insert one or more cascode transistors in the connection between the control field effect transistor 5 and the switching field effect transistor 3 of each sensor S in order to stabilize the drain voltage across the control field effect transistor 5.

In conjunction with the control field effect transistor 5, whose gate terminal is driven via the control line 6, the further capacitor 4 enables the following modes of operation for the individual sensors S of the arrangement according to the invention:

A. Continuous charge transfer

When a suitable voltage is applied to the gate terminal of the control field effect transistor 5 via the control line 6, this transistor can operate as a charge pump. A suitable voltage is a voltage which causes the control field effect transistor 5 to operate in the saturation range. The voltage present across the photodiode 1 and the storage capacitor 2 is thus kept constant.

When radiation is incident on the photodiode 1 in this mode of operation of the sensor S, the storage capacitor 2 of the photodiode 1 is no longer discharged, but the further capacitor 4 is discharged. When the switching field effect transistor 3 is then closed for the purpose of reading out, the further capacitor 4 is charged again during the reading out of the charge via the read-out line 8.

B. Controlled charge transfer

The charge transfer from the further capacitor 4 to the storage capacitor 2 is governed by the voltage on the control line 6. On the basis of this relationship it is possible to inhibit the charge transfer described sub A in given phases of the image data acquisition by applying a negative voltage (in relation to the voltage at the source terminal) to the gate terminal of the field effect transistor 5, via the control line 6, so that the control field effect transistor 5 is turned off.

When the charge transfer is inhibited, first only the storage capacitor 2 is discharged and subsequently it is charged again from the further capacitor 4. The compensation of the charge across the further capacitor 4 via the activated switching field effect transistor 3 and the read-out line 8 can then take place when radiation is already incident again on the photodiode 1 and the capacitor 2 is discharged.

C. Increasing the storage capacitor

When a large positive voltage, in comparison with the voltage at the source terminal, is applied to the gate terminal of the control field effect transistor 5, the channel thereof becomes conductive. When this voltage is sustained, a continuous connection is established between the storage capacitor 2 and the further capacitor 4. The overall capacitance connected parallel to the photodiode 1 is thus increased by the additional capacitance 4. The dynamic range of the photodiode 1 can thus be increased for a given bias voltage.

25

5

CLAIMS:

1. An arrangement which includes light-sensitive or X-ray-sensitive sensors (S) which are arranged in a matrix of rows and columns and generate charges in dependence on the amount of incident radiation, each sensor (S) including a respective photosensor element (1) with an intrinsic storage capacitance and/or a storage capacitor (2) connected parallel to the terminals thereof, as well as with a respective transistor (3), for each row of sensors there being provided at least one switching line (7) via which the transistors (3) can be activated so that the charges of the relevant activated sensors (S) can be read out simultaneously via readout lines (8),

characterized in that

each sensor (S) includes a further transistor (5) which is connected directly to the photosensor element (1) and can be activated via at least one control line (6),

that the two transistors (3, 5) of each sensor (S) are connected in series, and that an electrode of a further capacitor (4) is connected to the junction of the two transistors (3, 5).

An arrangement as claimed in Claim 1,

characterized in that

the further transistors (5) can be activated via at least one control line (6) per row of sensors or one control line for the entire matrix.

3. An arrangement as claimed in Claim 2,

characterized in that

both transistors (3, 5) of each sensor are constructed as field effect transistors whose conductive channels are connected in series, the gate terminal of the control field effect transistor (5) connected to the photosensor element (1) being connected to the control line (6) whereas the gate terminal of the series-connected switching field effect transistor (3) is connected to the switching line (7).

4. An arrangement as claimed in Claim 1 or 3,

7.

10

characterized in that

the further capacitor (4) is smaller than the storage capacitor (2).

- An arrangement as claimed in Claim 3 or 4,
- 5 characterized in that

the constituent elements of the sensor (5) are arranged one above the other and/or adjacent one another on a thin-film substrate.

- 6. A method for operating an arrangement as claimed in one of the Claims 3 to 5, characterized in that the voltage present at the gate terminal of the control field effect transistor (5) of each sensor
- (S) is chosen to be such that it keeps the voltage across the photosensor element (1) constant and hence operates as a charge pump.

A method for operating an arrangement as claimed in one of the Claims 3 to 5,

- characterized in that
 the conductive channel of the control field effect transistor (5) of each sensor (6) is blocked
 during the charge
 integration in the storage capacitor (2) of the radiation incident on the photosensor element
 (1), and that the charge is subsequently transferred to the further capacitor (4) by the
 unblocking of the conductive channel and is subsequently read out therefrom by the
 unblocking of the conductive channel of the switching field effect transistor (3).
- A method for operating an arrangement as claimed in one of the Claims 3 to 5,
 characterized in that
 the voltage, present at the gate terminal of the control field effect transistor (5), of each
 sensor (S) is chosen to be so high that the conductive channel thereof directly connects the
 storage capacitor (2) to the further capacitor (4).
- 30 9. The use of the arrangement claimed in one of the Claims 1 to 5 in an X-ray examination apparatus.

The invention relates to an arrangement with light-sensitive or X-ray-sensitive

ABSTRACT:

sensors which are arranged in rows and columns of a matrix and generate charges in dependence on the amount of incident radiation, each sensor including a photosensor element with an intrinsic storage capacitor and/or a storage capacitor connected parallel to its terminals, and also a respective transistor; it also includes at least one switching line for each row of sensors via which the transistors can be activated so that the charges of the relevant activated sensors S can be read out simultaneously via read-out lines 8 in order to ensure that, in conformity with the relevant mode of operation of the arrangement, the switching noise caused by the reading out of the sensors is reduced and/or a higher image repeat rate or more stable operating conditions for the photosensor element, also in the case of large signals, as well as an increase of the dynamic range of the photosensor element become possible in that each sensor S includes a further transistor 5 which is connected directly to the photosensor element 1 and can be activated via at least one control line, both transistors 3, 5 of each sensor S being connected in series and an electrode of a further capacitor 4 being connected to the junction of the two transistors 3, 5.

Fig. 1

09740056,05070x

5




FIG. 1





FIG. 2



1,2 14 24 9 23 7 A₁ 18 6 A₁ 13 16 12 8 15 (3) (5) FIG. 4

/ 11111	011	E
JUN 0 7 2001 2	(JUN a	7 2001 8

COMBINED DECEMBLE AT PATENT APPLICATION AND POWER TTORNEY (Includes Reference to PCT-MileringSunal Applications) ATTORNEY'S DOCKET NUMBER PHD 99.060 US

	I hereby declare that:		
y residence, post office add	dress and citizenship are as stated	i next to my name.	
pelieve I am the original, fir ural names are listed below ntitled: Sensor Matrix le specification of which (ch	st and sole inventor (if only one na w) of the subject matter which is of neck only one item below):	ame is listed below) or an original, aimed and for which a patent is so	first and joint inventor (if sught on the invention
] is attached hereto.			
was filed as United State	s application		
erial No.			
n			
nd was amended			
0			
_			
X was filed as PCT interna			
lumber PCT/ EP00/04	607		A CONTRACTOR OF THE PARTY OF TH
n 17 May 2000			
and was amended under P	CT Article 10		
	CT Atticle 19		(if applicable)
on			(pp,
hereby state that I have re claims, as amended by any	eviewed and understand the conter r amendment referred to above.	nts of the above-identified specific	ation, including the
acknowledge the duty to d Title 37, Code of Federal R	disclose information which is mater tegulations, § 1.56(a).	rial to the examination of this appli	cation in accordance with
or inventor's certificate or o States of America listed be	ity benefits under Title 35, United of any PCT international application low and have identified below any ication(s) designating at least one r having a filing date before that of	n(s) designating at least one count foreign application(s) for patent of country other than the United State	try other than the United r inventor's certificate or tes of America filed by me
PRIOR FOREIGN/PCT AP	PLICATION(S) AND ANY PRIOR	ITY CLAIMS UNDER 35 U.S.C. 1	19:
COUNTRY	APPLICATION NUMBER	DATE OF FILING DAY, MONTH, YEAR	PRIORITY CLAIMED UNDER 35 USC 119
Germany	19922650.4	18 May 1999	YES

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY (Include, Reference to PCT International Applications)

19922650.4

ATTORNEY'S DOCKET NUMBER PHD 99 060 US

			110 33.000 03
As a below named inventor, I h	nereby declare that:		
My residence, post office addre	ess and citizenship are as state	ed next to my name.	
I believe I am the original, first	and sole inventor (if only one roof the subject matter which is	name is listed below) or an original, claimed and for which a patent is so	first and joint inventor (ought on the invention
is attached hereto.		•	
was filed as United States a	application		
Serial No.			
on			
and was amended			
on			
Number PCT/ EP00/0460 on 17 May 2000			
and was amended under PCT.	Article 19		•
on <u>s</u>			(if applicable
rf5		nts of the above-identified specifica	tion, including the
I acknowledge the duty to discl Title 37, Code of Federal Regu		rial to the examination of this applic	ation in accordance with
or inventor's certificate or of an States of America listed below any PCT international applicati on the same subject matter hav	y PCT international application and have identified below any on(s) designating at least one ving a filing date before that of	States Code, § 119 of any foreign a n(s) designating at least one country foreign application(s) for patent or i country other than the United State the application(s) of which priority i	y other than the United inventor's certificate or s of America filed by me s claimed:
PRIOR FOREIGN/PCT APPLIC	CATION(S) AND ANY PRIORI	TY CLAIMS UNDER 35 U.S.C. 119	:
COUNTRY	APPLICATION NUMBER	DATE OF FILING DAY, MONTH, YEAR	PRIORITY CLAIMED UNDER

18 May 1999

U.S. DEPARTMENT OF COMMERCE -Patent and Trademarks Office (July 1994)

YES

Germany

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY (includes Reference to PCT International Applications) As a below named inventor. I hereby declare that:

My residence, post office address and citizenship are as stated next to my name. I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: Sensor Matrix the specification of which (check only one item below): is attached hereto mas filed as United States application Serial No. and was amended on X was filed as PCT international application Number PCT/ EP00/04607 17 May 2000 133 and was amended under PCT Article 19 on 🚐 (if applicable) I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56(a). I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:

PRIOR FOREIGN/PCT APPLICATION(S) AND ANY PRIORITY CLAIMS UNDER 35 U.S.C. 119:

COUNTRY	APPLICATION NUMBER	DATE OF FILING DAY, MONTH, YEAR	PRIORITY CLAIMED UNDER 35 USC 119
Germany	19922650.4	18 May 1999	YES

Attorneys Docket Number PHD 99,060 US

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) abnd/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (List name and registration number)

Algy Tamoshunas Reg. No. 27,677 Jack E. Haken, Reg. No. 26,902 Direct Telephone Calls to: (name and telephone number) (914)332-0222

			(/	
	FULL NAME OF INVENTOR	FAMILY NAME BUSSE	FIRST GIVEN NAME Falko	SECONDE GIVEN NAME
201	RESIDENCE & CITIZENSHIP	Aachen	STATE OR FOREIGN COUNTRY Germany	Germany
	POST OFFICE ADDRESS	POST OFFICE ADDRESS Drei-Rosen-Straße 15	52066 Aachen	STATE & ZIP CODE/COUNTRY Germany
	FULL NAME OF INVENTOR	FAMILY NAME OVERDICK	FIRST GIVEN NAME Michael	SECONDE GIVEN NAME
202	RESIDENCE & CITIZENSHIP	CITY Bonn	STATE OR FOREIGN COUNTRY Germany	Germany
	POST OFFICE ADDRESS	POST OFFICE ADDRESS Eislebenstraße 3	53125 Bonn	STATE & ZIP CODE/COUNTRY Germany
	FULL NAME OF INVENTOR	FAMILY NAME RÜTTEN	FIRST GIVEN NAME Walter	SECONDE GIVEN NAME
203	RESIDENCE &	CITY Linnich	STATE OR FOREIGN COUNTRY Germany	COUNTRY OF CITIZENSHIP Germany
	POST OFFICE ADDRESS	POST OFFICE ADDRESS Brunnenstraße 26	52441 Linnich	STATE & ZIP CODE/COUNTRY Germany
	FULL NAME OF INVENTOR	FAMILY NAME POWELL	FIRST GIVEN NAME Martin John	SECONDE GIVEN NAME
204	RESIDENCE & CITIZENSHIP	CITY Horley	STATE OR FOREIGN COUNTRY United Kingdom	COUNTRY OF CITIZENSHIP
	POST OFFICE ADDRESS	POST OFFICE ADDRESS 18 Middlefield	Horley, Surrey RH6 9XP	STATE & ZIP CODE/COUNTRY United Kingdom
	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECONDE GIVEN NAME
:05	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE & ZIP CODE/COUNTRY
	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECONDE GIVEN NAME
206	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE & ZIP CODE/COUNTRY

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true: and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 if Title 18 of the United states Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

SIGNATURE OF INVENTOR 201	SIGNATURE OF INVENTOR 202	SIGNATURE OF INVENTOR 203
DATE	DATE	DATE
SIGNATURE OF INVENTOR 204	SIGNATURE OF INVENTOR 205	SIGNATURE OF INVENTOR 206
DATE 7 December 2000	DATE	DATE

09/743656 500 Rec'd PCT/PTO 12 JAN 2001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Attv. Docket

FALKO BUSSE ET AL.

PHD 99,060

Serial No.

Group Art Unit

Filed. CONCURRENTLY

Examiner:

Title: SENSOR MATRIX Commissioner for Patents Washington, D.C. 20231

APPOINTMENT OF ASSOCIATES

Sir:

. DESTIN

The undersigned Attorney of Record hereby revokes all prior appointments (if any) of Associate Attorney(s) or Agent(s) in the above-captioned case and appoints:

JOHN VODOPIA

therewith.

(Registration No. 36,299) and (Registration No. 32,266)

MICHAEL E. MARION

c/o U.S. PHILIPS CORPORATION, Intellectual Property Department, 580 White Plains Road, Tarrytown, New York 10591, his Associate Attorney(s)/Agent(s) with all the usual powers to prosecute the above-identified application and any division or continuation thereof, to make alterations and amendments therein, and to transact all business in the Patent and Trademark Office connected

ALL CORRESPONDENCE CONCERNING THIS APPLICATION AND THE LETTERS PATENT WHEN GRANTED SHOULD BE ADDRESSED TO THE UNDERSIGNED ATTORNEY OF RECORD.

Respectfully,

Jack E. Haken, Reg. 26,903

Dated at Tarrytown, New York this 8TH day of January 2001.

\\SERVER0\SYS2\WPDOCS\VO\mc08v0c0.ma0.doc

Combined Declaration For Patent Application and Power of Attorney (Continued) (includes Reference to PCT International Applications)

Attorneys Docket Number PHD 99.060 US

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) abnd/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (List name and registration number)

Algy Tamoshunas Reg. No. 27,677

Direct Telephone Calls to: (name and telephone number) (014)332-0222

Jack	E. Haken, R	eg. No. 26,902	(914)332-0	0222
)	FULL NAME OF INVENTOR	FAMILY NAME BUSSE	FIRST GIVEN NAME Falko	SECONDE GIVEN NAME
201	RESIDENCE & CITIZENSHIP	CITY Aachen	STATE OR FOREIGN COUNTRY Germany	COUNTRY OF CITIZENSHIP Germany
Ī	POST OFFICE ADDRESS	POST OFFICE ADDRESS Drei-Rosen-Straße 15	S2066 Aachen	STATE & ZIP CODE/COUNTRY Germany
0	FULL NAME OF INVENTOR	FAMILY NAME OVERDICK	FIRST GIVEN NAME Michael	SECONDE GIVEN NAME
202	RESIDENCE & CITIZENSHIP	CITY Bonn	STATE OR FOREIGN COUNTRY Germany	Germany
	POST OFFICE ADDRESS	POST OFFICE ADDRESS Eislebenstraße 3	53125 Bonn	STATE & ZIP CODE/COUNTRY Germany
)	FULL NAME OF INVENTOR	FAMILY NAME RÜTTEN	FIRST GIVEN NAME Walter	SECONDE GIVEN NAME
203,47	RESIDENCE & CITIZENSHIP	CITY Linnich	STATE OR FOREIGN COUNTRY Germany 7	Germany
100	POST OFFICE ADDRESS	POST OFFICE ADDRESS Brunnenstraße 26	52441 Linnich	STATE & ZIP CODE/COUNTRY Germany
4	FULL NAME OF INVENTOR	FAMILY NAME POWELL	FIRST GIVEN NAME Martin John	SECONDE GIVEN NAME
204	RESIDENCE & CITIZENSHIP	Horley	United Kingdom	COUNTRY OF CITIZENSHIP
9	POST OFFICE	18 Middlefield	Horley, Surrey RH6 9XP	STATE & ZIP CODE/COUNTRY United Kingdom
less Section	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECONDE GIVEN NAME
205	CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
C	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE & ZIP CODE/COUNTRY SECONDE GIVEN NAME
ģrais.	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	
206	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
1 1	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE & ZIP CODE/COUNTRY

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 if Title 18 of the United states Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

SIGNATURE OF INVENTOR 202	SIGNATURE OF INVENTOR 203
Midul Overdide	Wall Elle
DATE 7 December 2000	DATE 7 December 2000
SIGNATURE OF INVENTOR 205	SIGNATURE OF INVENTOR 206
DATE	DATE
	Middle Organida DATE 7 December 2000 SIGNATURE OF INVENTOR 205



ed Declaration For Patent Application and Power of Attorney (Continued)
Reference to PCT International Applications) Attorneys Docket Numb PHD 99.060 US (Includes neighbors to the installment Applications)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) abnd/or agent(s) to p

atthrespond to the Potent and Tradement Office connected therewith, (that name and registration number) Direct Telephone Calls to: (name and telephone number) Algy Tamoshunas Reg. No. 27,677 Jack E. Haken, Reg. No. 26,902 (914)332-0222 FIRST GIVEN NAME SECONDE GIVEN NAME FULL NAME OF FAMILY NAME INVENTOR BUSSE Falko STATE OR FOREIGN COUNTRY COUNTRY OF CITIZENSHIP 201 RESIDENCE & CIT Germany STATE & ZIP CODE/COUNTRY CITIZENSHIP Aachen Germany POST OFFICE POST OFFICE ADDRESS ADDRESS Drei-Rosen-Straße 15 52066 Aachen Germany FULL NAME OF FAMILY NAME FIRST GIVEN NAME SECONDE GIVEN NAME INVENTOR OVERDICK Michael STATE OR FOREIGN COUNTRY COUNTRY OF CITIZENSHIP RESIDENCE & 202 Germany STATE & ZIP CODE/COUNTRY CITIZENSHIP Bonn Germany POST OFFICE ADDRESS POST OFFICE 53125 Bonn Germany ADDRESS Eislebenstraße 3 SECONDE GIVEN NAME FULL NAME O FAMILY NAME FIRST GIVEN NAME INVENTOR RÜTTEN Walter STATE OR FOREIGN COUNTRY COUNTRY OF CITIZENSHIP RESIDENCE & 203 CITIZENSHIP Linnich Germany Germany POST OFFICE STATE & ZIP CODE/COUNTRY POST OFFICE ADDRESS Germany ADDRESS Brunnenstraße 26 52441 Linnich FULL NAME OF SECONDE GIVEN NAME FIRST GIVEN NAME FAMILY NAME INVENTOR Martin POWELL John RESIDENCE & STATE OR FOREIGN COUNTRY COUNTRY OF CITIZENSHIP Great Britain CITIZENSHIP United Kingdom Horley POST OFFICE POST OFFICE ADDRESS STATE & ZIP CODE/COUNTRY Horley, Surrey RH6 9XP United Kingdom ADDRESS 18 Middlefield SECONDE GIVEN NAME FULL NAME OF FAMILY NAME FIRST GIVEN NAME INVENTOR STATE OR FOREIGN COUNTRY COUNTRY OF CITIZENSHIP RESIDENCE & 205 CITIZENSHIP STATE & ZIP CODE/COUNTRY POST OFFICE POST OFFICE ADDRESS FULL NAME OF FAMILY NAME SECONDE GIVEN NAME FIRST GIVEN NAME INVENTOR COUNTRY OF CITIZENSHIP RESIDENCE & STATE OR FOREIGN COUNTRY 206 CITIZENSHIP POST OFFICE POST OFFICE ADDRESS STATE & ZIP CODE/COUNTRY ADDRESS I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be

I hearby declare that all statements made herein of my own knowledge are true and that all statements made on information and obsert are trues and further that these statements were made with the knowledge that willful false statements and the like so mode are punishing by fine or imprisoment, or both, under section 1001 if Title 18 of the United states Code, and that such willful false statements may jeopardize the validity of the application or any patter issuing them.

SIGNATURE OF INVENTOR 201	SIGNATURE OF INVENTOR 202	SIGNATURE OF INVENTOR 203
DATE	DATE	DATE
DATE	DATE	DATE
SIGNATURE OF INVENTOR 204	SIGNATURE OF INVENTOR 205	SIGNATURE OF INVENTOR 206
Yourd Rad	Movell	
1 Const Ronal	/ (", ,	
DATE 7 December 2000 8/5/01	DATE 8/05/01.	DATE
	U.S. DEPARTMENT OF	F COMMERCE- Patent and Trademarks Office

PTO

/	OPE	10
	JUN 0 7 20	n sal

Attorneys Docket Number PHD 99.060 US

Combined Decoration For Page Application and Power of Attorney (Continued) (Includes Reference of Page Applications)

POWER OF ATTORNEY: As a named inventor, thereby appoint the following attorney(s) sized/or agent(s) to prosecular business in the Patent and Trademank Office connected therewith. (List name and registration number)

Algy	Tamoshunas	Reg. No. 27,677	Direct Teleph (name and te	sphone Calls to: 1 telephone number)	
lack	E. Haken, R	eg. No. 26,902	ļ	(914)332-0	
	FULL NAME OF INVENTOR	FAMILY NAME BUSSE	FIRST GIVEN NAME Falko		SECONDE GIVEN NAME
201	RESIDENCE & CITIZENSHIP	CITY Aachen	STATE OR FOREIGN COUNTRY Germany		COUNTRY OF CITIZENSHIP Germany
	POST OFFICE ADDRESS	POST OFFICE ADDRESS Drei-Rosen-Straße 15	CITY 52066 Aachen		STATE & ZIP CODE/COUNTRY Germany
202	FULL NAME OF INVENTOR	FAMILY NAME OVERDICK	FIRST GIVEN NAME Michael		SECONDE GIVEN NAME
	RESIDENCE & CITIZENSHIP	CITY Bonn	STATE OR FOREIGN COUNTRY Germany		COUNTRY OF CITIZENSHIP Germany
	POST OFFICE ADDRESS	POST OFFICE ADDRESS Eislebenstraße 3	53125 Bonn		STATE & ZIP CODE/COUNTRY Germany
203	FULL NAME OF INVENTOR	FAMILY NAME RÜTTEN	FIRST GIVEN NAME Walter		SECONDE GIVEN NAME
	RESIDENCE & CITIZENSHIP	CITY Linnich	STATE OR FOREIGN COUNTRY Germany		Germany
	POST OFFICE ADDRESS	POST OFFICE ADDRESS Brunnenstraße 26	52441 Linnich		STATE & ZIP CODE/COUNTRY Germany
204	FULL NAME OF INVENTOR	FAMILY NAME POWELL	FIRST GIVEN NAME Martin John		SECONDE GIVEN NAME
	RESIDENCE & CITIZENSHIP	Horley	STATE OR FOREIGN COUNTRY United Kingdom		COUNTRY OF CITIZENSHIP
	POST OFFICE ADDRESS	POST OFFICE ADDRESS 18 Middlefield	Horley, Surrey RH6 9XP		STATE & ZIP CODE/COUNTRY United Kingdom
205	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME		SECONDE GIVEN NAME
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COU	NTRY	COUNTRY OF CITIZENSHIP
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY		STATE & ZIP CODE/COUNTRY
206	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME		SECONDE GIVEN NAME
	CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY		COUNTRY OF CITIZENSHIP
	POST OFFICE	POST OFFICE ADDRESS	CITY		STATE & ZIP CODE/COUNTRY

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that writful false statements and the like so made are punishable by fine or imprisonment, or both, under section 100 if Title 18 of the United states Code, and that such writful false statements may jeopardize the validity of the application or any potant issuing these than the contraction of the contra

SIGNATURE OF INVENTOR 201	SIGNATURE OF INVENTOR 202	SIGNATURE OF INVENTOR 203		
Fairo Buni	Milul Overdide	Wall Elle		
DATE 7 December 2000	DATE 7 December 2000	DATE 7 December 2000		
SIGNATURE OF INVENTOR 204	SIGNATURE OF INVENTOR 205	SIGNATURE OF INVENTOR 206		
	DATE	DATE		
DATE DATE DATE DATE				

U.S. DEPARTMENT OF COMMERCE- Patent and Tra (July 1994)

ADDRESS